

## **Public health effect continued**

### **IMPACT OF SOLID WASTE ON HEALTH AND THE ENVIRONMENT**

Urbanization and population growth are solely responsible for high increasing rate of solid waste and its proper management is a major problem of Municipal Corporation. In this study, the sources and components of solid waste were identified; type and the quantity of solid waste disposed, methods of solid waste disposal and impact of improper waste management on health were highlighted. The result shows that excreta and other liquid and solid waste from households and the community, are a serious health hazard and lead to the spread of infectious diseases.

### **INTRODUCTION**

Improper MSW disposal and management causes all types of pollution: air, soil, and water. Indiscriminate dumping of wastes contaminates surface and ground water supplies. In urban areas, MSW clogs drains, creating stagnant water for insect breeding and floods during rainy seasons. Uncontrolled burning of MSW and improper incineration contributes significantly to urban air pollution. Greenhouse gases are generated from the decomposition of organic wastes in landfills, and untreated leachate pollutes surrounding soil and water bodies. Health and safety issues also arise from improper MSWM. Insect and rodent vectors are attracted to the waste and can spread diseases such as cholera and dengue fever. Using water polluted by MSW for bathing, food irrigation and drinking water can also expose individuals to disease organisms and other contaminants. The U.S. Public Health Service identified 22 human diseases that are linked to improper MSWM. Waste worker and pickers in developing countries are seldom protected from direct contact and injury, and the co-disposal of hazardous and medical wastes with MSW poses serious health threat. Exhaust fumes from waste collection vehicles, dust stemming from disposal practices and the open burning of waste also contribute to overall health problems. People know that poor sanitation affects their health, especially in developing and low-income countries, where the people are the most willing to pay for environmental improvements.

### **CHARACTERIZATION OF WASTES**

Solid waste are characterized on the basis of following parameters

- Their sources
- By the types of wastes produced
- By generation rates and composition.

Accurate information in these areas is necessary in order to monitor and control existing waste management systems and to make regulatory, financial and institutional decisions.

### **TYPE OF SOLID WASTE**

Depending on their source the solid waste may of different type such as Residential waste

- Industrial
- Institutional
- Construction and demolition
- Municipal services

### **CHARACTERISTICS OF SOLID WASTES**

- Corrosive: these are wastes that include acids or bases that are capable of corroding metal containers, e.g. tanks
- Ignitability: this is waste that can create fires under certain condition, e.g. waste oils and solvents
- Reactive: these are unstable in nature, they cause explosions, toxic fumes when heated.
- Toxicity: waste which are harmful or fatal when ingested or absorb.

### **SOLID WASTE TREATMENT**

Current treatment strategies are directed towards reducing the amount of solid waste that needs to be landfilled, as well as recovering and utilizing the materials present in the discarded wastes as a resource to the largest possible extent. Different methods are used for treatment of solid waste and the choice of proper method depends upon refuse characteristics, land area available and disposal cost they are as follows.

- Incineration
- Compaction
- Pyrolysis

- gasification
- composting

### *A. Incineration*

It is a controlled combustion process for burning solid wastes in presence of excess air (oxygen) at high temperature of about 1000° C and above to produce gases and residue containing non-combustible material. One of the most attractive features of the incineration process is that it can be used to reduce the original volume of combustible MSW by 80 – 90%.

### *B. Compaction*

The waste is compacted or compressed. It also breaks up large or fragile items of waste. This process is conspicuous in the feed at the back end of many garbage collection vehicles. Deposit refuse at bottom of slope for best compaction and control of blowing litter.

### *C. Pyrolysis.*

Pyrolysis is defined as thermal degradation of waste in the absence of air to produce char, pyrolysis oil and syngas, e.g., the conversion of wood to charcoal also it is defined as destructive distillation of waste in the absence of oxygen. External source of heat is employed in this process. Because most organic substances are thermally unstable they can upon heating in an oxygen-free atmosphere be split through a combination of thermal cracking and condensation reactions into gaseous, liquid and solid fraction.





Fig. 1 Process of the pyrolysis system

**D. Gasification.**


Gasification is a process in which partial combustion of MSW is carried out in the presence of oxygen, but in lesser amount than that is required for complete combustion, to generate a combustible gas (fuel gas) rich in carbon monoxide and hydrogen e.g., the conversion of coal into town gas. When a gasifier is operated at atmospheric pressure with air as the oxidant, the end products of the gasification process are a low-energy gas typically containing (by volume) 20% CO, 15% H<sub>2</sub>, 10% CO<sub>2</sub> and 2% CH<sub>4</sub>.



**Fig. 2 High temperature gasification process for MSW treatment**

### *E. Composting.*

Composting is the most responsible technical solution for many developing countries especially, where the climate is arid and the soil is in serious need of organic supplements. The composting process usually follows 2 basic steps as shown in Fig. 2.13, which may be preceded or followed by pre- or post-treatments (crushing, sorting, humidification, mixing with other waste, etc...).



**Fig. 3 Composting stages (pre- and / or post treatments may be needed)**

### **WASTE DISPOSAL**

- Land fills: - Landfilling is the most-simple and economical measure as far as natural decomposition occurs at the disposal site. Unscientific and ordinary Landfilling is the common practice for solid waste disposal in many developing countries.
- Sanitary Landfills: - Sanitary Landfilling is a process of dumping of MSW in a scientifically designed area spreading waste in thin layers, compacting to the smallest practicable volume and covering with soil on daily basis. The methane (rich biogas) is produced due to anaerobic decomposition of organic matters in solid waste.
- Underground injection wells: - waste are injected under pressure into a steel

and concrete-encased shafts placed deep in the earth.

- Waste piles: - it is accumulations of insoluble solid, non flowing hazard waste. Piles serves as temporary or final disposal
- land treatment: - it is a process by which solid waste, such as sludge from wastes is applied onto or incorporated into the soil surface.

### **CAUSES OF INCREASE IN SOLID WASTE**

- Population growth
- Increase in industrials manufacturing
- Urbanization
- Modernization.

Modernization, technological advancement and increase in global population created rising in demand for food and other essentials. This has resulted to rise in the amount of waste being generated daily by each household.

### **ADVERSE EFFECTS ON LIVING ORGANISM DUE TO SOLID WASTE**

- Populations in areas where there is no proper waste treatment method.
- Children
- Waste workers
- Populations living close to waste dump
- Animals

### **SOURCES OF HUMAN EXPOSURES**

The group at risk from the unscientific disposal of solid waste include – the population in areas where there is no proper waste disposal method, especially

- Pre-school children
- Waste workers
- Workers in facilities producing toxic and infectious material. Other high-risk group includes population living close to a waste dump and those, whose water supply has become contaminated either due to waste dumping or leakage from landfill sites. Uncollected solid waste also increases risk of injury, and infection.

## **POINTS OF CONTACT TO LIVING ORGANISM**

There are number of point by which solid waste may be come in contact with living organism such as

- Soil adsorption, storage and biodegrading
- Plant uptake
- Ventilation
- Leaching
- Insects, birds, rats, flies and animals
- Direct dumping of untreated waste in seas, rivers and lakes results in the plants and animals that feed on it

## **IMPACTS OF SOLID WASTE ON HUMAN HEALTH, ANIMALS AND AQUATICS LIFE**

There are potential risks to environment and health from improper handling of solid wastes. Direct health risks concern mainly the workers in this field, who need to be protected, as far as possible, from contact with wastes. There are also specific risks in handling wastes from hospitals and clinics. For the general public, the main risks to health are indirect and arise from the breeding of disease vectors, primarily flies and rats. Uncontrolled hazardous wastes from industries mixing up with municipal wastes create potential risks to human health. Traffic accidents can result from toxic spilled wastes. There is specific danger of concentration of heavy metals in the food chain, a problem that illustrates the relationship between municipal solid wastes and liquid industrial effluents containing heavy metals discharged to a drainage/sewerage system and /or open dumping sites of municipal solid wastes and the wastes discharged thereby maintains a vicious cycle including these some other types of problem are as follows.

- Chemical poisoning through chemical inhalation
- Uncollected waste can obstruct the storm water runoff resulting in flood
- Low birth weight
- Cancer
- Congenital malformations
- Neurological disease
- Nausea and vomiting
- Mercury toxicity from eating fish with high levels of mercury
- Plastic found in oceans ingested by birds

## Waste generation aspects lecture 10

- Resulted in high algal population in rivers and sea.
- Degrades water and soil quality

Resources and References

Ali, S.M., Cotton, A.P., and Westlake, K. 1999. Down to Earth: Solid Waste Disposal for Low-Income Countries, WEDC, Loughborough University, UK.

Ogawa, H. 1989. Selection of Appropriate Technology for Solid Waste Management in Asian Metropolises, An International Journal of Regional

Development Dialogue, UNCRD, Nagoya, Japan, Vol. 10 No.3, Autumn.

Tchobanoglous, G., Theisen, H., and Eliassan, R. 1977. Solid Wastes Engineering Principles and Management Issues, McGraw-Hill Book Company,

New York.

US Environmental Protection Agency. 1989. Decision-Maker's Guide to Solid Waste Management, Vol 1, Washington.

US Environmental Protection Agency. 1995. Decision-Maker's Guide to Solid Waste Management, Vol II, Washington.

Vagale, L. R. 1997. Environment of Urban Areas in India Case Study: Bangalore, ENVIS Journal of Human Settlements, Centre for Environmental Studies, School

of Planning and Architecture, New Delhi, India, November 1997.

Diaz, L.F. and C.G. Golueke, "Solid Waste Management in Developing Countries", BioCycle, 26:46-52, September 1985.

Japan International Cooperation Agency, Master Plan and Feasibility Study on Seoul Municipal Solid Waste Management System in the Republic of Korea, Draft Final Report,

Tokyo, Japan, 1985.

Scharff, C. and G. Vogel, "A Comparison of Collection Systems in European Cities", *Waste Management & Research*, 12(5), October 1994.

CalRecovery, Inc., *Criterio de Diseño - Planta de Selección y Recuperación de Subproductos de los Residuos Sólidos Municipales*, prepared for Mexico City, Mexico, December 1992.

CalRecovery, Inc., *Handbook of Solid Waste Properties*, Governmental Advisory Associates, Inc., New York, New York, USA, 1993.

Morwood, R., "Australian Waste Management - Towards 2000", *Proceedings of 32nd Annual International Solid Waste Exposition, SWANA*, San Antonio, Texas, USA, August 1994.

Cal Recovery Systems, Inc., Norconsult A.S., and Engineering-Science, *Metro Manila Solid Waste Management Study - Review of Existing Conditions*, May 1982.

Cointreau, S. *Environmental management of urban solid wastes in developing countries. A project guide*. Urban Development Technical Paper No. 5. World Bank, Washington, DC, 1982.

Diaz, L.F., G.M. Savage, and C.G. Golueke, *Resource Recovery from Municipal Solid Wastes: Vol. I, Primary Processing*, CRC Publishers, Inc., Boca Raton, Florida, USA, 1992.

Moeller, D. W. (2005). *Environmental Health* (3rd ed.). Cambridge, MA:Harvard University Press

Diaz, L.F., G.M. Savage, L.L. Eggerth, and C.G. Golueke, *Composting and Recycling Municipal Solid Waste*, Lewis Publishers, Ann Arbor, Michigan, USA, 1993.

Diaz, L.F. and C.G. Golueke, "Solid Waste Management in Developing Countries", *BioCycle*, 26:46-52, September 1985.

Waste generation aspects lecture 10

CalRecovery, Inc., Metro Manila Solid Waste Management Study - Waste Stream Characterization, prepared for Ad Hoc Committee, Republic of the Philippines, May 1982.

Nath, K.J., "Solid Waste Management in the Present Indian Perspective", proceedings of ISWA 1993 Annual Conference, Jönköping, Sweden, September 1993.

Japan International Cooperation Agency, Master Plan and Feasibility Study on Seoul Municipal Solid Waste Management System in the Republic of Korea, Draft Final Report, Tokyo, Japan, August 1985.

CalRecovery, Inc., Handbook of Solid Waste Properties, Governmental Advisory Associates, Inc., New York, New York, USA, 1993.

World Health Organization, Regional Office for Europe, Urban Solid Waste Management, edited by Institute for the Promotion of International Health Actions (IRIS), Copenhagen, Denmark, 1991.

Morwood, R., "Australian Waste Management - Towards 2000", Proceedings of 32nd Annual International Solid Waste Exposition, SWANA, San Antonio, Texas, USA, August 1994.