

# **Management Accountancy**

Unit 14

## **Overhead Variances**

Lecturer: Dr. Jeetendra Dangol

# Contents

---

- Concept of overhead variance
- Overhead variance analysis methods
- Three overhead variances

# Learning Objectives

---

- Compute and interpret overhead variances

# Overhead Variance

---

- In a standard cost system, overheads are applied at standard pre-determined rates to the standard allowed input.
- The input can be one of the several bases used for absorbing overheads such as labour hours, machine hours, units of outputs etc.
- Generally, direct labour hours are in use in standard costing.
- Overheads variances arise due to the difference between actual overheads cost incurred and absorbed overhead.
- For the calculation of overhead variances, overhead cost should be first of all identified into fixed and variable overhead

# Overhead Variance

---

$$\text{Standard Fixed Overhead Rate} = \frac{\text{Total Fixed Overhead}}{\text{Normal Capacity}}$$

$$\text{Standard Variable Overhead Rate} = \frac{\text{Total Variable Overhead}}{\text{Normal Capacity}}$$

# Overhead Variance Analysis Method


---

- Two – Variance Method
- Three – Variance Method
- Four – Variance Method
- Five – Variance Method

# Three Overhead Variance Method

---

- Overhead Capacity Variance (Volume Variance)
- Overhead Efficiency Variance
- Overhead Spending Variance



(Source: Author)

# Overhead Capacity Variance

---

- Difference between the standard Fixed Manufacturing Overhead absorbed on actual output and standard cost

$$\text{Overhead Capacity Variance} = (\text{SH} \times \text{SR}) - [(\text{SH} \times \text{SVOHR}) + \text{FOH}]$$

Or,

$$\text{Overhead Capacity Variance} = \text{Standard Fixed Overhead Rate} \times (\text{SH} - \text{NC})$$

SH = Standard Hours Produced,

SR = Standard Overhead Rate per Hour,

SVOHR = Standard Variable Overhead Rate per Hour

FOH = Standard Fixed Overhead

NC = Normal Capacity in Hours

- Standard hours produce > Normal capacity, Variance = Favorable with satisfactory utilization of fixed overhead and vice-versa

# Overhead Efficiency Variance

---

- Difference between the standard hours produced for actual output and actual hours worked at the standard variable overhead rate.

$$\text{Overhead Efficiency Variance} = \text{SVOHR} \times (\text{SH} - \text{AH})$$

SVOHR = Standard Variable Overhead Rate per Hour

SH = Standard Hours Produced

AH = Actual Hours Worked

- Standard hours produce > Actual hours worked, Variance =Favorable and vice-versa

# Overhead Spending Variance

---

- Difference between the budget overhead costs for actual hour work and actual cost incurred
- This variance measures the correct efficiency or inefficiency in spending

$$\text{Overhead Spending Variance} = [\text{FOH} + (\text{SVOHR} \times \text{AH})] - \text{Actual Overhead Incurred}$$

FOH = Standard Fixed Overhead

SVOHR = Standard Variable Overhead Rate per Hour

AH = Actual Hours Worked

- Budgeted cost for actual output > the actual cost incurred,  
Variance = Favorable and vice-versa

# Overhead Variances

---

Row A	$SH \times SR$	= x x
Row B	$(SH \times SVOHR) + FOH$	= x x
Row C	$(AH \times SVOHR) + FOH$	= x x
Row D	Actual Overhead Incurred	= x x

Variances:

1. Overhead Capacity Variance = Row A – Row B
2. Overhead Efficiency Variance = Row B – Row C
3. Overhead Spending Variance = Row C – Row D

It is noted that instead of hours and hourly rate, we can use days, weeks and units and unit variable cost etc.

# Illustration 1

The information relating to overhead costs are as follows:

(a) Standard Capacity based on Normal Capacity 5,000 hours:

Fixed Overhead	Rs. 5,000
Variable Overhead	<u>Rs. 5,000</u>
Total	<u>Rs. 10,000</u>

(b) Standard Hours Produced: 4,250 hours

(c) Actual Hours Worked: 4,300 hours

(d) Actual Overhead Incurred:

Fixed Overhead	Rs. 5,000
Variable Overhead	<u>Rs. 4,000</u>
Total	<u>Rs. 9,000</u>

Required: Overhead Three Variances.

Basic Calculations:

$$\begin{aligned} 1. \text{ Standard Fixed Overhead Rate} &= \frac{\text{Total Fixed Overhead}}{\text{Normal Capacity}} \\ &= \frac{\text{Rs. 5,000}}{5,000 \text{ hours}} \\ &= \text{Rs. 1 per hour.} \end{aligned}$$

$$\begin{aligned} 2. \text{ Standard Variable Overhead Rate} &= \frac{\text{Total Variable Overhead}}{\text{Normal Capacity}} \\ &= \frac{\text{Rs. 5,000}}{5,000 \text{ hours}} \\ &= \text{Rs. 1 per hour} \end{aligned}$$

$$3. \text{ Standard Overhead Rate} = \text{Rs. 1/hour} + \text{Rs. 1/hour} = \text{Rs. 2/hour}$$

### Calculation of Three Variances by Using Formula:

- (a) Overhead Capacity Variance      =  $(SH \times SR) - [(SH \times SVOHR) + FOH]$   
=  $(4,250 \text{ hrs} \times \text{Rs. } 2/\text{hr}) - [(4,250 \text{ hrs} \times \text{Rs. } 1/\text{hr}) + \text{Rs. } 5,000]$   
=  $\text{Rs. } 8,500 - \text{Rs. } 9,250$   
=  $\text{Rs. } 750 \text{ (UF)}$
- (b) Overhead Efficiency Variance      =  $SVOHR \times (SH - AH)$   
=  $\text{Rs. } 1/\text{hr.} \times (4,250 - 4,300)$   
=  $\text{Rs. } 50 \text{ (UF)}$
- (c) Overhead Spending Variance      =  $[FOH + (SVOHR \times AH)] - \text{Actual Overhead Incurred}$   
=  $[\text{Rs. } 5,000 + (\text{Rs. } 1/\text{hr.} \times 4,300 \text{ hrs.})] - \text{Rs. } 9,000$   
=  $\text{Rs. } 9,300 - \text{Rs. } 9,000$   
=  $\text{Rs. } 300 \text{ (F)}$

Alternatively, Calculation of Overhead Three Variances by Using Table:

---

Row A	$SH \times SR$	$= 4,250 \text{ hrs.} \times \text{Rs. } 2/\text{hr}$	$= \text{Rs. } 8,500$
Row B	$(SH \times SVOHR) + \text{FOH}$	$= (4,250 \text{ hrs} \times \text{Rs. } 1/\text{hr}) + \text{Rs. } 5,000$	$= \text{Rs. } 9,250$
Row C	$(AH \times SVOHR) + \text{FOH}$	$= (4,300 \text{ hrs} \times \text{Rs. } 1/\text{hr}) + \text{Rs. } 5,000$	$= \text{Rs. } 9,300$
Row D	Actual Overhead Incurred		$= \text{Rs. } 9,000$

---

Variances:

- (a) Overhead Capacity Variance  $= \text{Row A} - \text{Row B} = \text{Rs. } 8,500 - \text{Rs. } 9,250 = \text{Rs. } 750 \text{ (UF)}$
- (b) Overhead Efficiency Variance  $= \text{Row B} - \text{Row C} = \text{Rs. } 9,250 - \text{Rs. } 9,300 = \text{Rs. } 50 \text{ (UF)}$
- (c) Overhead Spending Variance  $= \text{Row C} - \text{Row D} = \text{Rs. } 9,300 - \text{Rs. } 9,000 = \text{Rs. } 300 \text{ (F)}$

# Illustration 2

The Kathmandu Manufactures Limited provided the following information about manufacturing overhead cost:

(a) Budgeted Fixed Overhead	Rs.90,000
(b) Normal Capacity	30,000 Labour Hours
(c) Manufacturing Overhead	Rs.5 per DLH
(d) Actual Production in 28,000 DLH	48,000 units
(e) Standard Output per DLH	1.5 units
(f) Actual Manufacturing Overhead Paid	Rs.160,000

Required: Overhead Three Variances

SOLUTION:

1. Standard Fixed Overhead Rate =  $\frac{\text{Total Fixed Overhead}}{\text{Normal Capacity}} = \frac{\text{Rs. } 90,000}{30,000 \text{ hours}} = \text{Rs. } 3 \text{ per hour}$
2. Standard Overhead Rate = Rs. 5 per hour
3. Standard Variable Overhead Rate = Rs. 5/hr. – Rs. 3/hr. = Rs. 2 per hour
4. Standard Hours Produced =  $\frac{1}{1.5} \times 48,000 \text{ units} = 32,000 \text{ hours.}$

Calculation of Three Variances by Using Formula:

$$\begin{aligned} \text{(a) Overhead Capacity Variance} &= (\text{SH} \times \text{SR}) - [(\text{SH} \times \text{SVOHR}) + \text{FOH}] \\ &= (32000 \text{ hrs} \times \text{Rs } 5/\text{hr}) - [(32000 \text{ hrs} \times \text{Rs } 2/\text{hr}) + \text{Rs } 90000] \\ &= \text{Rs. } 1,60,000 - \text{Rs. } 1,54,000 \\ &= \text{Rs. } 6,000 \text{ (F)} \end{aligned}$$

$$\begin{aligned} \text{(b) Overhead Efficiency Variance} &= \text{SVOHR} \times (\text{SH} - \text{AH}) \\ &= \text{Rs. } 2/\text{hr.} \times (32,000 - 28,000) \\ &= \text{Rs. } 8,000 \text{ (F)} \end{aligned}$$

$$\begin{aligned} \text{(c) Overhead Spending Variance} &= [\text{FOH} + (\text{SVOHR} \times \text{AH})] - \text{Actual overhead incurred} \\ &= [\text{Rs. } 90,000 + (\text{Rs. } 2/\text{hr.} \times 28,000 \text{ hrs.})] - \text{Rs. } 1,60,000 \\ &= \text{Rs. } 1,46,000 - \text{Rs. } 1,60,000 \\ &= \text{Rs. } 14,000 \text{ (UF)} \end{aligned}$$

Alternatively, Calculation of Overhead Three Variances by Using Table:

---

Row A	$SH \times SR$	$= 32,000 \text{ hrs.} \times \text{Rs. } 5/\text{hr.}$	$= \text{Rs. } 160,000$
Row B	$(SH \times SVOHR) + \text{FOH}$	$= (32,000 \text{ hrs} \times \text{Rs. } 2/\text{hr}) + \text{Rs. } 90,000$	$= \text{Rs. } 154,000$
Row C	$(AH \times SVOHR) + \text{FOH}$	$= (28,000 \text{ hrs} \times \text{Rs. } 2/\text{hr}) + \text{Rs. } 90,000$	$= \text{Rs. } 146,000$
Row D	Actual Overhead Incurred		$= \text{Rs. } 160,000$

---

Variances:

- (a) Overhead Capacity Variance  $= \text{Row A} - \text{Row B} = \text{Rs. } 160,000 - \text{Rs. } 154,000 = \text{Rs. } 6,000 \text{ (F)}$
- (b) Overhead Efficiency Variance  $= \text{Row B} - \text{Row C} = \text{Rs. } 154,000 - \text{Rs. } 146,000 = \text{Rs. } 8,000 \text{ (F)}$
- (c) Overhead Spending Variance  $= \text{Row C} - \text{Row D} = \text{Rs. } 146,000 - \text{Rs. } 160,000 = \text{Rs. } 14,000 \text{ (UF)}$

# Illustration 3

The Flexible Budgeting Data regarding a manufacturing company are presented below:

$$\begin{aligned}\text{Flexible Budgeting Formula} &= \text{Fixed Cost} + \text{Unit Variable Cost} \times \text{Units} \\ &= \text{Rs. } 90,000 + \text{Rs. } 2.00 \text{ per Hour} \times \text{Hours Worked}\end{aligned}$$

Other Data:

Normal Capacity	30,000 hours
Hours Worked	32,000 hours
Hours Produced	28,000 hours
Total Overhead Expenses	Rs. 1,46,000

**Required:** Analysis of Overhead Variance (Three Variance)

SOLUTION:

1. SH, Standard Hours Produced = 28,000 hours
2. AH, Actual Hours Worked = 32,000 hours
3. Standard Fixed Overhead Rate =  $\frac{\text{Total Fixed Overhead}}{\text{Normal Capacity}} = \frac{\text{Rs. } 90,000}{30,000 \text{ hours}} = \text{Rs. } 3 \text{ per hour}$
4. SVOHR, Standard Variable Overhead Rate = Rs. 2 per hour
5. SR, Standard Overhead Rate = Rs. 3 + Rs. 2 = Rs. 5 per hour
6. FOH, Fixed Overhead = Rs. 90,000

### Calculation of Three Overhead Variances by Using Table

Row A	$SH \times SR$	$= 28,000 \text{ hrs.} \times \text{Rs. } 5/\text{hr.}$	$= \text{Rs. } 1,40,000$
Row B	$(SH \times SVOHR) + \text{FOH}$	$= (28,000 \text{ hrs} \times \text{Rs. } 2/\text{hr}) + \text{Rs. } 90,000$	$= \text{Rs. } 1,46,000$
Row C	$(AH \times SVOHR) + \text{FOH}$	$= (32,000 \text{ hrs} \times \text{Rs. } 2/\text{hr}) + \text{Rs. } 90,000$	$= \text{Rs. } 1,54,000$
Row D	Actual Overhead Incurred	$= \text{Rs. } 1,46,000$	$= \text{Rs. } 1,46,000$

Variances:

- (a) Overhead Capacity Variance  $= \text{Row A} - \text{Row B} = \text{Rs. } 1,40,000 - \text{Rs. } 1,46,000 = \text{Rs. } 6,000 \text{ (UF)}$
- (b) Overhead Efficiency Variance  $= \text{Row B} - \text{Row C} = \text{Rs. } 1,46,000 - \text{Rs. } 1,54,000 = \text{Rs. } 8,000 \text{ (UF)}$
- (c) Overhead Spending Variance  $= \text{Row C} - \text{Row D} = \text{Rs. } 1,54,000 - \text{Rs. } 1,46,000 = \text{Rs. } 8,000 \text{ (F)}$

# Illustration 4

---

Determine Three Various Overhead Variances from the following information.

Actual Hours Worked 3,100

Fixed Overhead (4,000 hours) Normal Capacity Rs. 16,000

Actual Production 25 units

Standard Man Hour per unit 60

Standard Overhead Rate per Standard Man Hour Rs. 10

Actual Overhead Incurred Rs. 32,500

SOLUTION:

1. SH, Standard Hours Produced = 25 units × 60 hours per unit = 1,500 hours
2. AH, Actual Hours Worked = 3,100 hours
3. Standard Fixed Overhead Rate =  $\frac{\text{Total Fixed Overhead}}{\text{Normal Capacity}} = \frac{\text{Rs. 16,000}}{4,000 \text{ hours}} = \text{Rs. 4 per hour}$
4. SR, Standard Overhead Rate = Rs. 10 per hour
5. SVOHR, Standard Variable Overhead Rate = Rs. 10 – Rs. 4 = Rs. 6 per hour
6. FOH, Fixed Overhead = Rs. 16,000

### Calculation of Three Overhead Variances by Using Table

Row A	$SH \times SR$	$= 1,500 \text{ hrs.} \times \text{Rs. } 10/\text{hr.}$	$= \text{Rs. } 15,000$
Row B	$(SH \times SVOHR) + \text{FOH}$	$= (1,500 \text{ hrs} \times \text{Rs. } 6/\text{hr}) + \text{Rs. } 16,000$	$= \text{Rs. } 25,000$
Row C	$(AH \times SVOHR) + \text{FOH}$	$= (3,100 \text{ hrs} \times \text{Rs. } 6/\text{hr}) + \text{Rs. } 16,000$	$= \text{Rs. } 34,600$
Row D	Actual Overhead Incurred	$= \text{Rs. } 32,500$	$= \text{Rs. } 32,500$

Variances:

- (a) Overhead Capacity Variance  $= \text{Row A} - \text{Row B} = \text{Rs. } 15,000 - \text{Rs. } 25,000 = \text{Rs. } 10,000 \text{ (UF)}$
- (b) Overhead Efficiency Variance  $= \text{Row B} - \text{Row C} = \text{Rs. } 25,000 - \text{Rs. } 34,600 = \text{Rs. } 9,600 \text{ (UF)}$
- (c) Overhead Spending Variance  $= \text{Row C} - \text{Row D} = \text{Rs. } 34,600 - \text{Rs. } 32,500 = \text{Rs. } 2,100 \text{ (F)}$

# Illustration 5

The following are the data relating to overhead expenses of company:

- (a) Normal Capacity 1,00,000 Direct Labour Hour
- (b) Standard Time for 1 unit of output 4 hours
- (c) Flexible Budget Data = Fixed Cost + Unit Variable Cost × Units Produced  
= Rs, 1,50,000 + Rs. 10 × Per Unit Produced
- (d) Unit Produce 27,500 units
- (e) Labour Hours Paid 1,05,000
- (f) Total Overhead Cost Paid Rs, 4,23,000

Required: Overhead Cost Variance Analysis Showing Three Variances.

SOLUTION:

1. SH, Standard Hours Produced = 27,500 units × 4 hours per unit = 1,10,000 hours
2. AH, Actual Hours Worked = 1,05,000 hours
3. Standard Fixed Overhead Rate =  $\frac{\text{Total Fixed Overhead}}{\text{Normal Capacity}} = \frac{\text{Rs. 1,50,000}}{1,00,000 \text{ hours}} = \text{Rs. 1.50 per hour}$
4. SVOHR, Standard Variable Overhead Rate =  $\frac{\text{Rs. 10}}{4 \text{ units}} = \text{Rs. 2.50 per hour}$
5. SR, Standard Overhead Rate = Rs. 1.50 per hour + Rs. 2.50 per hour = Rs. 4 per hour
6. FOH, Fixed Overhead = Rs. 1,50,000

### Calculation of Three Overhead Variances by Using Table

Row A	$SH \times SR$	$= 1,10,000 \text{ hrs.} \times \text{Rs. } 4/\text{hr.}$	$= \text{Rs. } 4,40,000$
Row B	$(SH \times SVOHR) + \text{FOH}$	$= (1,10,000 \text{ hrs} \times \text{Rs. } 2.50/\text{hr}) + \text{Rs. } 1,50,000$	$= \text{Rs. } 4,25,000$
Row C	$(AH \times SVOHR) + \text{FOH}$	$= (1,05,000 \text{ hrs} \times \text{Rs. } 2.50/\text{hr}) + \text{Rs. } 1,50,000$	$= \text{Rs. } 4,12,500$
Row D	Actual Overhead Incurred	$= \text{Rs. } 4,23,000$	$= \text{Rs. } 4,23,000$

Variances:

- (a) Overhead Capacity Variance  $= \text{Row A} - \text{Row B} = \text{Rs. } 4,40,000 - \text{Rs. } 4,25,000 = \text{Rs. } 15,000 \text{ (F)}$
- (b) Overhead Efficiency Variance  $= \text{Row B} - \text{Row C} = \text{Rs. } 4,25,000 - \text{Rs. } 4,12,500 = \text{Rs. } 12,500 \text{ (F)}$
- (c) Overhead Spending Variance  $= \text{Row C} - \text{Row D} = \text{Rs. } 4,12,500 - \text{Rs. } 4,23,000 = \text{Rs. } 10,500 \text{ (UF)}$

# Illustration 6

The Details of Overhead Cost of a Manufacturing company and other information have been provided:

	10,000	20,000
Output in Units	10,000	20,000
Indirect Materials	10,000	20,000
Indirect Labour	20,000	40,000
Supervision	20,000	30,000
Heat Light and Power	10,000	15,000
Maintenance Cost	10,000	15,000
Depreciation Cost	30,000	30,000
	100,000	150,000

Additional Information:

Normal Capacity 10,000 DLH.

DLH Required for 1 units of Output 0.50 DLH.

Actual Output 22,000 units

Actual Hours Worked 9,500 DLH.

Actual Overhead Cost Paid Rs. 1,46,900.

**Required:** (a) Budgeted Overhead Cost for 15,000 units.

(b) Overhead Cost Three Variances.

Segregation of Semi-variable Costs: Supervision Cost:

$$\text{Variable Cost per Unit} = \frac{\text{Difference in Cost}}{\text{Difference in Output}} = \frac{\text{Rs. 10,000}}{10,000 \text{ units}} = \text{Rs. 1 per unit}$$

$$\begin{aligned}\text{Fixed Overhead Cost (at 10,000 units Output)} &= \text{Total Cost} - \text{Total Variable Cost} \\ &= \text{Rs. 20,000} - (\text{Rs. 1 per unit} \times 10,000 \text{ units}) \\ &= \text{Rs. 10,000}\end{aligned}$$

Heat, Light and Power Cost:

$$\text{Variable Cost per Unit} = \frac{\text{Difference in Cost}}{\text{Difference in Output}} = \frac{\text{Rs. 5,000}}{10,000 \text{ units}} = \text{Rs. 0.50 per unit}$$

$$\begin{aligned}\text{Fixed Overhead Cost (at 10,000 units Output)} &= \text{Total Cost} - \text{Total Variable Cost} \\ &= \text{Rs. 10,000} - (\text{Rs. 0.50 per unit} \times 10,000 \text{ units}) \\ &= \text{Rs. 5,000}\end{aligned}$$

Maintenance Cost:

$$\text{Variable Cost per Unit} = \frac{\text{Difference in Cost}}{\text{Difference in Output}} = \frac{\text{Rs. 5,000}}{10,000 \text{ units}} = \text{Rs. 0.50 per unit}$$

$$\begin{aligned}\text{Fixed Overhead Cost (at 10,000 units Output)} &= \text{Total Cost} - \text{Total Variable Cost} \\ &= \text{Rs. 10,000} - (\text{Rs. 0.50 per unit} \times 10,000 \text{ units}) \\ &= \text{Rs. 5,000}\end{aligned}$$

**Working Note: Computation of Cost Behaviour for 10,000 Units**

<b>Costs</b>	<b>Cost Behaviour</b>	<b>Variable Cost per Unit (Rs)</b>	<b>Fixed Cost (Rs.)</b>
Indirect Material	Variable	1	–
Indirect Labour	Variable	2	–
Supervision	Semi-variable	1	10,000
Heat, Light and Power	Semi-variable	0.50	5,000
Maintenance Cost	Semi-variable	0.50	5,000
Depreciation Cost	Fixed	–	30,000
Total		5	50,000

(a) Budgeted Production Cost for 15,000 units = FC + (UVC × LA)  
= Rs. 50,000 + (Rs. 5 per unit × 15,000 units)  
= Rs. 125,000

(b) **Basic Calculations for Determination of Overhead Three Variances:**

1. SH, Standard Hours Produced = 22,000 units  $\times$  0.50 hours per unit = 11,000 hours

2. AH, Actual Hours Paid = 9,500 hours

3. Standard Fixed Overhead Rate =  $\frac{\text{Total Fixed Overhead}}{\text{Normal Capacity}} = \frac{\text{Rs. 50,000}}{10,000 \text{ hours}} = \text{Rs. 5 per hour}$

4. SVOHR, Standard Variable Overhead Rate =  $\frac{\text{Rs. 5}}{0.50 \text{ hours}} = \text{Rs. 10 per hour}$

5. SR, Standard Overhead Rate = Rs. 5 + Rs. 10 = Rs. 15 per hour

6. FOH, Fixed Overhead = Rs. 50,000

### Calculation of Three Overhead Variances by using Table

Row A	SH × SR	= 11,000 hrs. × Rs. 15/hr.	= Rs. 1,65,000
Row B	(SH × SVOHR) + FOH	= (11,000 hrs × Rs. 10/hr.) + Rs. 50,000	= Rs. 1,60,000
Row C	(AH × SVOHR) + FOH	= (9,500 hrs × Rs. 10/hr.) + Rs. 50,000	= Rs. 1,45,000
Row D	Actual Overhead Incurred	= Rs. 1,46,900	= Rs. 1,46,900

Variances:

- (a) Overhead Capacity Variance = Row A – Row B = Rs. 1,65,000 – Rs. 1,60,000 = Rs. 5,000 (F)
- (b) Overhead Efficiency Variance = Row B – Row C = Rs. 1,60,000 – Rs. 1,45,000 = Rs. 15,000 (F)
- (c) Overhead Spending Variance = Row C – Row D = Rs. 1,45,000 – Rs. 1,46,900 = Rs. 1,900 (UF)

## Question

(a) Standard Capacity based on Normal Capacity 5,000 hours:

Fixed Overhead     Rs. 5,000

Variable Overhead   Rs. 5,000

Total                     Rs. 10,000

(b) Standard Hours Produced: 4,250 hours

(c) Actual Hours Worked:     4,300 hours

(d) Actual Overhead Incurred:

Fixed Overhead     Rs. 5,000

Variable Overhead   Rs. 4,000

Total                     Rs. 9,000

Working Note:

St. FMOH Rate (S/F)

= Total FMOH / Normal Capacity

= Rs. 5,000/5000 hours

= Rs. 1 Per Hour

St. VMOH Rate (S/V)

= Total St. VMOH/Normal Capacity

= Rs. 5,000/5000 Hours

= Rs. 1 Per Hour

**Required:** Overhead Three Variances.

	<u>Time (Hours)</u>	X	<u>Rate + FC</u>	<u>Result</u>	:
Row A	S 4250		(S/V + S/F) (1+1)	= 8500	
Row B	S 4250		S/V 1 + FC 5000	= 9250	
Row C	A 4300		S/V 1 + FC 5000	= 9300	
Row D	A 4300		A/V + FC	= 9000 (Given)	

	<u>Time (Hours)</u>	X <u>Rate + FC</u>	<u>Result</u>	:
Row A	S 4250	(S/V + S/F) (1+1)	= 8500	
Row B	S 4250	S/V 1 + FC 5000	= 9250	
Row C	A 4300	S/V 1 + FC 5000	= 9300	
Row D	A 4300	A/V + FC	= 9000 (Given)	

(a) OH Capacity Variance (FC) = Row A – Row B = 8500 – 9250 = 750 (UF)

(b) OH Efficiency Variance (Hours) = Row B – Row C = 9250 – 9300 = 50 (UF)

(c) OH Spending Variance (VC) = Row C – Row D = 9300 – 9000 = 300 (F)

# References

---

- Anthony, R.N., Hawkins, D.F. & Merchant, K.A. (2012). *Accounting: Text and cases*. The McGraw-Hill Companies
- Atkinson, A. A., Kaplan, R. S., Matsumura, E. M., Young, S. M., & Kumar, G. A. (2104). *Management accounting: Information for decision-making and strategy execution*. Pea\$on Education
- Colin, D. (1995). *Management and cost accounting*. ELBS, London
- Dangol, R. M. & Dangol, J. (2019). *Management accountancy*. Taleju Prakashan, Kathmandu
- Hilton. R. W. & Platt, D. E. (2014). *Managerial accounting: Creating value in a global business environment*. McGraw-Hill Education
- Horngren, C. T., Datar, G. F., Rajan, M. V., & Lttner, C. (2011). *Cost accounting: A managerial emphasis*. Pea\$on Education
- Horngren, C. T., Sundem, G. L., & Stratton, W. O. (1999). *Introduction to management accounting*. Prentice Hall India

**Thank You**